

---

Item no.: 873-903  
Product description: 3 POLE

---



Produkt kann von Bild abweichen / product may differ

### RoHS compliant

|                                     |                          |
|-------------------------------------|--------------------------|
| Weight                              | 5.804 g                  |
| No. of connection Points            | 6                        |
| No. of potentials                   | 3                        |
| pole count                          | 3                        |
| Cross section [mm <sup>2</sup> ]    | 0.75 - 4 mm <sup>2</sup> |
| Cross section [AWG]                 | 18 - 12 AWG              |
| Cross section to [mm <sup>2</sup> ] | 0.75 mm <sup>2</sup>     |
| Cross section to [AWG]              | 18 AWG                   |
| Height                              | 13.2 mm                  |
| Height                              | 0.52 in                  |
| Width                               | 19 mm                    |
| Width                               | 0.748 in                 |
| Depth                               | 42 mm                    |
| Depth                               | 1.654 in                 |
| Strip length from                   | 11 mm                    |
| Strip length to                     | 13 mm                    |
| Strip length                        | 0.47 in                  |
| Strip length from                   | 9 mm                     |
| Strip length to                     | 11 mm                    |

|                                  |                         |
|----------------------------------|-------------------------|
| Strip length                     | 0.39 in                 |
| Cross section [mm <sup>2</sup> ] | 1.5 - 4 mm <sup>2</sup> |
| Cross section [AWG]              | 16 - 12 AWG             |



|                    |            |
|--------------------|------------|
| Wiring method      | e          |
| Connection method  | PUSH WIRE® |
| Wiring method      | m          |
| Customs Tariff No. | 85369010   |
| Country of Origin  | China      |



| Item no. | Admission office | Approval no.   | Voltage [V] | Current [A] | Cross section [ mm <sup>2</sup> ] |
|----------|------------------|----------------|-------------|-------------|-----------------------------------|
| 873-903  | CCA              | NL6389         | 400         | 6           | 0,75-4                            |
| 873-903  | CSA              | 154112-1961671 | 600         | 6           | 18                                |
| 873-903  | cULus listed     | E313353        | 600         | 6           | 18                                |
| 873-903  | KEMA             | 2119255.01     | 240         | 6           | 0,75-4                            |

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected