

# ULTRA LED PAR16 Lamps



## Key Features & Benefits

- 25,000 hours rated life (L<sub>70</sub>)
- Available in Medium and GU10 Base
- Available in 3000K CCT
- UV, IR and Mercury Free
- RoHS compliant



LED technology offers reduced energy and maintenance costs when compared with conventional light sources. Lasting 8x longer, SYLVANIA ULTRA LED PAR16 lamps are a high-quality replacement for an equivalent PAR16 lamp. They are free of UV and IR radiation, minimizing discoloration and fading of materials. This lamp is available in a 25° beam angle in a 3000K correlated color temperature (CCT). This lamp is available in a medium and GU10 base.

## Product Offering

Ordering Abbreviation	Wattage (W)	Color Temperature	Beam Angle	Lumens
LED5.5PAR16/830/NFL25	5.5	3000K	25°	330
LED5.5PAR16/GU10/830/NFL25	5.5	3000K	25°	330

## Application Information

### Applications

- Recessed downlighting
- Track lighting
- Wall washers

### Market Segments

- Art galleries and museums
- Hospitality
- Retail

### Application Notes

1. UL1993 listed
2. Suitable for Indoor Use
3. Not intended for use with emergency light fixtures or exit lights
4. Use in open fixtures only
5. Operating temperature range between -40° F and +113° F (-40° C and +45° C)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. For FCC Part 15 user information, please see [www.sylvania.com/fcc15b](http://www.sylvania.com/fcc15b).



## Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	Date

## Ordering Information

Item Number	Ordering Abbreviation	Wattage (W)	Base Type	Input Voltage (VAC)	Average Rated Life (hrs.) <sup>1</sup>	Typical Lumens (lm) <sup>2</sup>	CCT <sup>3</sup>	CBCP (cd)	Beam Angle	CRI <sup>4</sup>	R9	Power Factor
78831	LED5.5PAR16/830/NFL25	5.5	Medium	120	25,000	330	3000K	640	25°	85	25	0.85
78834	LED5.5PAR16/GU10/830/NFL25	5.5	GU10	120	25,000	330	3000K	640	25°	85	25	0.85


1. Hours lifetime with 70% lumen maintenance    2. Thermally stable typical lumens (±10%)  
 3. Thermally stable typical CCT (±10%)    4. CRI – Color Rendering Index

## Ordering Guide

LED	5.5	PAR16	/	GU10	/	830	/	NFL	25
LED Lamps and Retrofits	Wattage: 5.5	Lamp Type: PAR16		Base Type: GU10		CRI, CCT: 830: 80+ CRI, 3000K CCT		Beam Type: NFL: Narrow Flood	Beam Angle: 25°


## Lamp Dimensions

	MOL (inches)	Diameter (inches)
LED5.5PAR16	3.6	1.9
LED5.5PAR16/GU10	3.3	1.9



## Illuminance Cone Diagrams

Similar Halogen	50PAR16
Watts (W)	50
Avg. Rated Life (hrs)	3,000
Lumens	450
CBCP (cd)	800
Beam Angle	30°





\*Approximate footcandle values at center of beam

## Energy Savings

Basic Product Description	LED Life (hrs.)	Similar Halogen	Halogen Life (hrs.)	Watts Saved	Energy Savings*	LED Life vs. Halogen
LED5.5PAR16	25,000	35PAR16	3,000	29.5	\$81	8x

\*Energy savings over life of lamp calculated at \$0.11/kWh



### United States

#### OSRAM SYLVANIA

100 Endicott Street  
Danvers, MA 01923

#### Trade

Phone: 1-800-255-5042  
Fax: 1-800-255-5043

#### National Accounts

Phone: 1-800-562-4671  
Fax: 1-800-562-4674

#### OEM/Special Markets

Phone: 1-800-762-7191  
Fax: 1-800-762-7192

#### Display/Optic

Phone: 1-888-677-2627  
Fax: 1-800-762-7192

#### SYLVANIA Lighting Services

Phone: 1-800-323-0572  
Fax: 1-800-537-0784

### Canada

#### OSRAM SYLVANIA LTD.

2001 Drew Road  
Mississauga, ON L5S 1S4

#### Trade

Phone: 1-800-263-2852  
Fax: 1-800-667-6772

#### OEM/Special Markets/Display/Optic

Phone: 1-800-265-2852  
Fax: 1-800-667-6772

#### SYLVANIA Lighting Services

Phone: 1-800-663-4268  
Fax: 1-866-239-1278

### Mexico

#### OSRAM MEXICO

Headquarters  
Tultitlan/Edo de Mexico  
011-52-55-58-99-18-50

[www.sylvania.com](http://www.sylvania.com)

SYLVANIA is a registered trademark of OSRAM SYLVANIA Inc.  
SEE THE WORLD IN A NEW LIGHT is a registered trademark of OSRAM SYLVANIA Inc.  
Specifications subject to change without notice.